

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”


IS 2286 (1963): Pantograph [PGD 22: Educational Instruments and Equipment]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



IS : 2286 - 1963


(Reaffirmed 2006)

Indian Standard

SPECIFICATION FOR PANTOGRAPH

(Second Reprint JULY 1985)

UDC 744.346



© Copyright 1963

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

Gr 2

May 1963

Indian Standard

SPECIFICATION FOR PANTOGRAPH

Optical and Mathematical Instruments Sectional Committee, EDC 36

Chairman

DR C. S. RAO

Representing

Defence Research & Development Organisation (Ministry of Defence)

Members

SHRI P. N. DEOBHAKTA

Development Wing (Ministry of Commerce & Industry)

DR S. P. VERMA (*Alternate*)

SHRI V. KRISHNAMOORTHY (*Alternate*)

SHRI M. W. DESAI

Research, Design & Standards Organisation (Ministry of Railways)

COL R. S. KALHA

Survey of India (Ministry of Scientific Research & Cultural Affairs)

LT-COL K. L. KHOSLA (*Alternate*)

SHRI B. R. MANKHAND

The Koh-i-Noor (India) Private Ltd, Varanasi

DR K. N. MATHUR

Central Scientific Instruments Organisation (CSIR), New Delhi

SHRI B. G. NAVLAKHI

J. V. Navlakhi & Co, Bombay

SHRI B. V. DALAL (*Alternate*)

SHRI PREM PRAKASH

National Physical Laboratory (CSIR), New Delhi

SHRI OM PRAKASH (*Alternate*)

SHRI E. B. RAJDERKAR

Raj-Der-Kar & Co, Bombay

SHRI SUBHASH RAJDERKAR (*Alternate*)

CAPT S. RAJENDRA

Indian Navy (Ministry of Defence)

LT CDR I. J. BHARDWAJ (*Alternate*)

DR I. RAMAKRISHNA RAO

Madras Institute of Technology, Madras

PROF S. HARIHARAN (*Alternate*)

SHRI K. V. SRINIVASA RAO

Central Water & Power Commission (Ministry of Irrigation & Power)

SHRI K. S. CHETTY (*Alternate*)

SHRI P. V. SUBBA RAO

The Andhra Scientific Co Ltd, Masulipatam

SHRI M. PANDURANGA RAO (*Alternate*)

SHRI P. L. SANGAL

Office of the Development Commissioner, Small Scale Industries (Ministry of Commerce & Industry)

SHRI A. N. SEN

National Instruments Ltd, Calcutta

SHRI R. R. CHAKRAVARTY (*Alternate*)

(Continued on page 2)

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

(Continued from page 1)

<i>Members</i>	<i>Representing</i>
SHRI B. R. SETHI	Directorate General of Ordnance Factories (Ministry of Defence)
SHRI S. K. ROY (<i>Alternate</i>)	
SUPERINTENDING SURVEYOR OF WORKS	Central Public Works Department (Ministry of Works, Housing & Supply)
SHRI V. P. VAISH	Quality Marked Goods Manufacturers' Co-operative Association Ltd., Roorkee
SHRI H. C. VERMA	Associated Instrument Manufacturers' (India) Private Ltd, New Delhi
SHRI D. NIRODY (<i>Alternate</i>)	
SHRI M. V. PATANKAR,	Director, ISI (<i>Ex-officio Member</i>)
Deputy Director (Eng)	

Secretary

SHRI P. N. KOHLI
Senior Technical Assistant (Eng), ISI

Drawing Instruments Subcommittee, EDC 36:1

Convener

DR K. N. MATHUR Central Scientific Instruments Organisation (CSIR), New Delhi

Members

SHRI A. N. BHATTACHARYA	Defence Research & Development Organisation (Ministry of Defence)
SHRI S. S. DHARMAYYA (<i>Alternate</i>)	
SHRI R. R. Chakravarty	National Instruments Ltd, Calcutta
SHRI P. N. DEOBHAKTA	Development Wing (Ministry of Commerce & Industry)
SHRI V. KRISHNAMOORTHY (<i>Alternate</i>)	
LT-COL K. L. KHOSLA	Survey of India (Ministry of Scientific Research & Cultural Affairs)
SHRI B. R. MANKHAND	The Koh-i-Noor (India) Private Ltd, Varanasi
SHRI PREM PRAKASH	National Physical Laboratory (CSIR), New Delhi
SHRI P. C. JAIN (<i>Alternate</i>)	
SHRI S. K. RAJAGOPALAN	Roads Organisation (Ministry of Transport & Communications)
SHRI P. L. SAHAI	Office of the Development Commissioner, Small Scale Industries (Ministry of Commerce & Industry)
SHRI B. R. SETHI	Directorate General of Ordnance Factories (Ministry of Defence)
SHRI S. M. RAZDAN (<i>Alternate</i>)	

Indian Standard

SPECIFICATION FOR PANTOGRAPH

0. FOREWORD

0.1 This Indian Standard was adopted by the Indian Standards Institution on 28 February 1963, after the draft finalized by the Optical and Mathematical Instruments Sectional Committee had been approved by the Engineering Division Council.

0.2 Pantograph is an instrument used for copying of maps, drawings and designs either on the same scale or on a larger or a smaller scale. The copying may be done either in the erect or reverse manner.

0.3 Taking into consideration the views of producers and consumers, the Sectional Committee responsible for the preparation of this standard felt that it should be related to the manufacturing practices followed in the country in this field.

0.4 Wherever a reference to any Indian Standard appears in this specification, it shall be taken as a reference to the latest version of the standard.

0.5 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS: 2-1960 Rules for Rounding Off Numerical Values (*Revised*). The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

0.6 This standard is intended chiefly to cover the technical provisions relating to pantographs, and it does not include all the necessary provisions of a contract.

1. SCOPE

1.1 This standard covers the requirements of pantographs commonly used in drawing offices.

2. SIZES

2.1 The pantographs shall be of four sizes, namely 1 250, 1 000, 750 and 500 mm. The size of a pantograph is designated by the length of the longer of the two graduated arms.

3. MATERIAL

3.1 The pantograph shall be constructed of suitable square or rectangular metal tubing. The thickness of the tubing shall be such that it is not easily deformed in use.

3.2 The castors shall be constructed of stainless steel or any other suitable material having a low coefficient of friction.

4. CONSTRUCTION

4.1 The two longer arms *AB* and *AC* (see Fig. 1) shall be freely hinged together without play at *A*. The two shorter arms *DF* and *EF* shall be freely hinged similarly with each other at *F* and with the longer arms at *D* and *E* respectively. The shorter arms shall be of such lengths as to make the figure *ADFE* a true parallelogram at every position of the instrument.

4.2 All the joints shall be perpendicular to the plane of the board on which the instrument is used in order to enable the instrument to work freely and accurately.

4.3 All the metallic parts shall be finished smooth.

4.4 Five free moving castors shall be provided in the positions indicated in Fig. 1. They shall support the instrument parallel to the paper and allow it to move lightly over the paper in all directions.


4.5 Each of the arms *AB* and *DF* shall carry a sliding index. Each index shall have a knurled screw for clamping it in any desired position on the arm and shall carry a socket with a hole in a direction perpendicular to the paper. The arm *AC* shall also carry a similar socket near the end *C*. The holes in all these sockets shall be collinear with the axes of the respective hinges and shall be of suitable diameter so as to hold either a pencil holder, tracing point or a fulcrum pin as required. Besides the clamps, the sockets on the arms *AB* and *DF* shall also have a slow motion device.

4.6 A suitable triangular or circular fulcrum weight should be provided having three suitably located feet ending in sharp points, to enable it to remain firm and steady in position.

4.7 The pencil holder shall be so constructed that small weights may be slipped on its top to cause the pencil to mark with the required distinctness.

4.8 The raising of the pencil holder off the drawing should be effected either by means of a wire release or by string and pulleys or by any other suitable device.

4.9 The fulcrum, pencil and tracer should always be in a true line, when the instrument is set for use.



NOTE—Slow motion device not shown.
FIG. 1 PANTOGRAPH

5. GRADUATIONS

5.1 The ratio in which the resulting figure is reduced or enlarged shall be equal to the distance of the pencil from fulcrum divided by that of the tracer from the fulcrum.

5.2 The following reduction ratios shall be engraved on the arms *DB* and *DF*:

1/15, 1/12, 1/10, 1/8, 1/6, 1/5, 1/4, 1/3, 2/5, 3/7, 4/9, 5/11, 6/13, 7/15, 8/17, 9/19, 10/21, 1/2

5.2.1 Appendix A gives the method of calculating the ratio either by erect or reverse method for ratios other than those engraved on the scales.

NOTE — To produce an enlarged copy, the pencil and tracer would have to change places; the proportion, of course, would be the same.

6. TESTS

6.1 The instruments shall be tested practically throughout the whole range of the scale both in the erect as well as the reverse manner. The results shall be accurate to within one millimetre at 2:1 enlargement and proportionately for other enlargements and reductions.

7. MARKING

7.1 Each pantograph shall be marked at a suitable place with its size, manufacturer's name or trade-mark and if required by the purchaser, the year of manufacture.

7.1.1 The pantographs may also be marked with the ISI Certification Mark.

NOTE — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

8. PACKING

8.1 Each pantograph shall be supplied in a suitably padded wooden box, together with operating instructions.

APPENDIX A

(Clause 5.2.1)

WORKING RATIOS

A-1. Setting on the graduated arms *DB* and *DF*, required for any ratio, may be calculated with the help of the following formulæ:

Erect Method:

For ratios 1: *R* between 1:2 and 1:15 with fulcrum on arm *DB*:

$$\text{Setting on arm } DB = \frac{100}{R-1}$$

$$\text{Setting on arm } DF = \frac{200}{R}$$

Reverse Method:

$$\text{Setting on arm } DB = \frac{100}{R}$$

$$\text{Setting on arm } DF = \frac{200}{R+1}$$

Example 1:

Taking a reduction ratio of 9/19 the values of arm settings will be:

Erect Method:

$$\text{Setting on arm } DB = \frac{100}{R-1} = \frac{100}{19/9-1} = \frac{900}{10} = 90$$

$$\text{Setting on arm } DF = \frac{200}{R} = \frac{200}{19/9} = \frac{1800}{19} = 94.7$$

Reverse Method:

$$\text{Setting on arm } DB = \frac{100}{R} = \frac{100}{19/9} = \frac{900}{19} = 47.4$$

$$\text{Setting on arm } DF = \frac{200}{R+1} = \frac{200}{19/9+1} = \frac{1800}{28} = 64.3$$

Example 2:

Taking a reduction ratio of 5/11 the values of arm settings will be:

Erect Method:

$$\text{Setting on arm } DB = \frac{100}{11/5 - 1} = \frac{100 \times 5}{6} = \frac{250}{3} = 83.3$$

$$\text{Setting on arm } DF = \frac{200}{11/5} = \frac{200 \times 5}{11} = \frac{1\,000}{11} = 90.9$$

Reverse Method:

$$\text{Setting on arm } DB = \frac{100}{11/5} = \frac{100 \times 5}{11} = \frac{500}{11} = 45.5$$

$$\begin{aligned} \text{Setting on arm } DF &= \frac{200}{11/5 + 1} = \frac{200}{16/5} = \frac{200 \times 5}{16} = \frac{1\,000}{16} \\ &= 62.5 \end{aligned}$$

INDIAN STANDARDS INSTITUTION

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg
NEW DELHI 110002

Telephones : 26 60 21, 27 01 31

Telegrams : Manaksanstha (Common to all Offices)

Regional Offices:

	Telephone
*Western : Manakalaya, E9 MIDC, Marol Andheri (East) BOMBAY 400093	6 32 92 95
†Eastern : 1/14 C. I. T. Scheme VII M V. I. P. Road, Maniktola CALCUTTA 700054	36 24 89
Southern : C. I. T. Campus MADRAS 600113	41 24 42
Northern : B69 Phase VII Industrial Focal Point S. A. S. NAGAR 160051 (Punjab)	8 73 28

Branch Offices:

'Pushpak', 3rd Floor, Nurmohamed Shaikh Marg, Khanpur AHMADABAD 380001	{ 2 63 48 2 63 49
'F' Block, Unity Bldg, Narasimharaja Square BANGALORE 560002	22 48 05
Gangotri Complex (6th Floor), Bhadbhada Road, T. T. Nagar BHOPAL 462003	6 27 16
22E Kalpana Area BHUBANESHWAR 751014	5 36 27
5-8-56C L. N. Gupta Marg HYDERABAD 500001	22 10 83
R14 Yudhister Marg, C Scheme JAIPUR 302005	6 98 32
117/418 B Sarvodaya Nagar KANPUR 208005	4 72 92
Patliputra Industrial Estate PATNA 800013	6 23 05
Hantex Bldg (2nd Floor), Railway Station Road TRIVANDRUM 695001	32 27

Inspection Office (with Sale Point):

Institution of Engineers (India) Building 1332 Shivaji Nagar PUNE 411007	5 24 35
--	---------

*Sales Office in Bombay is at Novelty Chambers, Grant Road BOMBAY 400007	89 65 28
--	----------

†Sales Office in Calcutta is at 5 Chowringhee Approach, P.O. Princep Street CALCUTTA 700072	27 68 00
--	----------